

Code Administrator Consultation Response Proforma

CMP437: Update CUSC arrangements to replace the Electricity Arbitration Association (EAA) with the London Court of International Arbitration (LCIA) (Charging)

Industry parties are invited to respond to this consultation expressing their views and supplying the rationale for those views, particularly in respect of any specific questions detailed below.

Please send your responses to cusc.team@nationalgrideso.com by **5pm on 28 June 2024**. Please note that any responses received after the deadline or sent to a different email address may not receive due consideration.

If you have any queries on the content of this consultation, please contact cusc.team@nationalgrideso.com

Respondent details	Please enter your details	
Respondent name:	Joseph Henry and Nayan Maske	
Company name:	National Grid ESO	
Email address:	Joseph.henry2@nationalgrideso.com	
Phone number:	07970673220	
Which best describes your organisation?	<input type="checkbox"/> Consumer body <input type="checkbox"/> Demand <input type="checkbox"/> Distribution Network Operator <input type="checkbox"/> Generator <input type="checkbox"/> Industry body <input type="checkbox"/> Interconnector	<input type="checkbox"/> Storage <input type="checkbox"/> Supplier <input checked="" type="checkbox"/> System Operator <input type="checkbox"/> Transmission Owner <input type="checkbox"/> Virtual Lead Party <input type="checkbox"/> Other

I wish my response to be:
 (Please mark the relevant box)

Non-Confidential (*this will be shared with industry and the Panel for further consideration*)

Confidential (*this will be disclosed to the Authority in full but, unless specified, will not be shared with the Panel or the industry for further consideration*)

For reference the Applicable CUSC (charging) Objectives are:

- a. *That compliance with the use of system charging methodology facilitates effective competition in the generation and supply of electricity and (so far as is consistent therewith) facilitates competition in the sale, distribution and purchase of electricity;*
- b. *That compliance with the use of system charging methodology results in charges which reflect, as far as is reasonably practicable, the costs (excluding any payments between transmission licensees which are made under and accordance with the STC) incurred by transmission licensees in their transmission businesses and which*

are compatible with standard licence condition C26 requirements of a connect and manage connection);

- c. That, so far as is consistent with sub-paragraphs (a) and (b), the use of system charging methodology, as far as is reasonably practicable, properly takes account of the developments in transmission licensees’ transmission businesses;
- d. Compliance with the Electricity Regulation and any relevant legally binding decision of the European Commission and/or the Agency *; and
- e. Promoting efficiency in the implementation and administration of the system charging methodology.

**The Electricity Regulation referred to in objective (d) is Regulation (EU) 2019/943 of the European Parliament and of the Council of 5 June 2019 on the internal market for electricity (recast) as it has effect immediately before IP completion day as read with the modifications set out in the SI 2020/1006.

Please express your views in the right-hand side of the table below, including your rationale.

Code Administrator Consultation questions		
1	Please provide your assessment for the proposed solution against the Applicable Objectives?	Mark the Objectives which you believe the proposed solution better facilitates:
		Original <input checked="" type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D <input checked="" type="checkbox"/> E
		This proposal better facilitates objectives A and E as it makes the CUSC Arbitration provision functional and furthermore allows for increased efficiency in administering the code.
2	Do you support the proposed implementation approach?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
		The modification should be implemented as outlined within the proposal document.
3	Do you have any other comments?	No further comment